

VERSION: 1.5	DATE: 3 /1/2024
PATHOGEN: Xanthomonas axonopodis pv. phaseoli (syn: X. campestris pv phaseolicola)	
HOST: common bean (Phaseolus vulgaris)	
COMMON NAME: common bacterial blight	
METHOD: Be 3.1 ISTA Selective Media Assay 7-021: ver 3.3 (2024)	
METHOD CLASS: STANDARD (A)	
SAMPLE: 10,000 seeds*; max subsample size 1,000 seeds *NOTE: sample size differs from ISTA protocol	

REVISION HISTORY:

- NSHS Version 1.4:
 - ISTA Method 7-021 ver 3.2, 2021-01-01: Safety precautions, Sample size and Methods revised
- NSHS Version 1.5:
 - ISTA Method 7-021 ver 3.3, 2024-01-01: Sample size, Methods and General methods revised.

PROCEDURE:

[ISTA 2024 7-021: ver 3.3](#)

REFERENCES:

International Rules for Seed Testing. Annexe to Chapter 7: Seed Health Testing Methods. 2024. 7-021: ver 3.3 Detection of Xanthomonas axonopodis pv. phaseoli and Xanthomonas axonopodis pv. phaseoli var. fuscans on Phaseolus vulgaris (bean).